## 2-YEAR HIP FOLLOW-UP

It is important to review the status of your hip implant(s) during an office visit at six weeks, one year, two years, and every other year postoperatively thereafter for your safety even though you are feeling great. Long distance follow-up evaluations for out-of- state patients are fine. We would like to ask you to complete the following evaluation protocol.

- 1) *Hip questionnaire*: We keep track of each joint separately in our database. Therefore, I would like to request that you fill out a self rating form for **EACH** hip, even if both are identical. Please send to us.
- 2) Hip X-Ray:
  - Add your name to the x-ray request
  - Have the x-ray of your hip(s) done at your local hospital or radiologist and request a CD copy of this x-ray be sent to us
- 3) Physical Therapy:
  - Add your name to the physical therapy evaluation request
  - Give the order and physical exam form to your physical therapist
  - Send the results to us
- 4) *Metal Ion Test:* 
  - Add your name to the prescription
  - Have the test done at the nearest lab
  - Send the results to us
  - \*\*Please avoid multi-vitamins for 1-week prior to testing.\*\*

As soon as we receive all of the above, I will review them and send you a written response. If you prefer to travel here for an office visit for evaluation, please call our appointment line to arrange this (803) 256-4107 (routine office charges will apply). If you are having significant problems with your hip, I will need to see you in the office for complete examination to best diagnose it.

Thank you for your attention to this matter. If you have any questions, please contact us for assistance.

Thomas P. Gross MD

Lee Webb, DNP, APRN, FNP-C

#### **Attached Forms:**

- 1. Follow up hip questionnaire (page 3-8)
- 2. Hip XR request and radiologist's instructions (page 9-11)
- 3a. Physical exam form (page 10-11)
- 3b. Physical therapy evaluation letter (page 12)
- 3c. Physical therapy evaluation request (page 13)
- 4a. Metal ion information: do not submit; for your use only (page 14-15)
- 4b. Metal ion test prescription (page 16)
- 4c. Quest Facility Locations\* (page 17-18): do not submit; for your use only

For metal ion bloodwork, we prefer that our patients use Quest Diagnostics. We have attached a list of all Quest locations in the U.S. If you are not local to a Quest facility, any blood work laboratory will do (call ahead to make sure they cobalt/chromium testing).

E-mail: grosspatientfollowup@midlandsortho.com

Call: (803) 933-6127 FAX: (803) 933-6339

If you don't have any questions, please follow the protocol and fill out each form below, then FEDEX the packet to:

Dr. Thomas P. Gross Attn: Hip follow-up Midlands Orthopaedics & Neurosurgery 1910 Blanding St. Columbia, SC 29201

# Hip Follow-Up Form

Naı	me:		Date
Fo	llov	y-up Information	
1.	Wh	ere was this form completed?	
	0	Office	
	$\circ$	Phone	
	0	Mail-In	
	0	Internet	
2.	Thi	is questionairre is for the evaluation of my (side)	hip.
	0	Left	
	0	Right	
3.	l ha	ave had problems with my (side) hip(s).	
	$\circ$	Left	
	0	Right	
	0	Both	
4.	Dr.	Gross has operated on my (side) hip(s).	
	$\circ$	Left	
	0	Right	
	0	Both	
5.	An	other surgeon has operated on my (side) hip(s).	
	0	Left	
	0	Right	
	$\bigcirc$	Both	



6.	Dr.	Gross performed the followed operation(s) on me:
	0	Total hip replacement
	0	Hip resurfacing
	0	Revision hip surgery
	0	Other:
Со	mpl	ications
1.	List	t any complications you had post-surgery:
	0	None
	0	Wound Infection
	0	Deep Venous Thrombosis
	0	Pulmonary Embolus (Blood clot travelling to lungs)
	0	Partial Sciatic Palsy (Nerve injury)
	0	Dislocation
	0	Fracture
	0	Loosened implant
	0	Other:
2.	Did	you have any complications that required further surgery?
	0	Yes; Please explain:
	0	No .
Cli	nica	al Function Score
1.	Wh	at category most closely represents your pain level?
	0	None, or so insignificant that I ignore it
	0	Regularly slight
	0	Mild
	0	Moderate
	0	Severe
	0	Disabled




#### 2. My hip pain is located in my (check all that apply):

- □ No pain
- ☐ Groin
- ☐ Front of thigh
- □ Buttock
- ☐ Side of thigh
- ☐ Side of hip, near scar
- □ Other pain: \_\_\_\_\_

### 3. Please circle your regular pain level on the following scale.



#### 4. Please circle your highest hip pain level on the following scale.



#### 5. Please indicate the severity of your limp, if any.

- None
- Slight
- O Mild
- Moderate
- Severe
- Disabled

### 6. Please indicate your use of support, if any.

- None required
- O Use of a cane or a stick for long walks or high activity only
- O Use of a cane or a stick almost always
- Use of one crutch almost always
- Use of two crutches or a walker
- O Unable to move across the room



7.	l a	m able to walk	without a break:
	0	Over one mile/Unlimited	
	0	6 blocks or roughly 30 minutes	
	0	2-3 blocks or roughly 10-15 minutes	
	0	Indoor walking only	
	0	Bed and chair only	
8.	Wh	nich of the following describes how yo	ou take stairs?
	0	Normally foot-over-foot without NEED	DING the railing
	0	Normally using the railing	
	0	Leading with non-painful hip one step	at a time
	0	Cannot take the stairs	
9.	l a	m able to put socks/shoes on	
	0	With ease	
	0	With difficulty	
	0	Unable to put socks or shoes on without	out help
10.	Un	der what circumstances can you sit co	omfortably?
	0	Any chair/1+ hour	
	0	High chair/30 minutes	
	0	Unable to sit comfortably	
11.	Ar	e you able to get in and out of a ve	ehicle without help?
	0	Yes	
	0	No	
12.			issues that you believe might effect your hritis in other hip, non-hip pain, etc.)
	0	Yes; please list:	
	0	No	



13	. Ho	w is yo	our hip joint now compared to before surgery?
	0	Bette	than my normal, healthy, pre-arthritic/damaged hip
	0	Feels	just like my normal, healthy, pre-arthritic/damaged hip
	0	Much	better than before surgery, with minor aches and pains
	0		what better than before surgery
	0		the same
	0		than before surgery
Ac	tivit	ty Sco	re
1.	Wh	ich be	st describes your current level of activity? (Please circle one.)  Description
		1	Wholly inactive, dependent on others, and can not leave residence
		2	Mostly inactive or restricted to minimum activities of daily living
		3 4	Sometimes participates in mild activities, such as walking, limited housework, and limited shopping Regularly participates in mild activities
		5	Sometimes participates in moderate activities, such as swimming, or could do unlimited housework or shopping
		6	Regularly participates in moderate activities
		6 7 8	Regularly participates in active events, such as bicycling
		9	Regularly participates in active events, such as bowling or golf  Sometimes participates in impact sports, such as jogging, tennis, skiing, acrobatics, ballet, heavy labor, or backpacking
		10	Regularly participates in impact sports
2.	Ple	ase lis	t any activities that you participate in regularly.
3.	Ple	ease lis	t any vigorous activities that you occasionally participate in.
4.	Му	activi	ty is now compared to before surgery.
	0	Highe	r
	0	Simila	r



Lower

# Conclusions

5.	Overall, are you happy with your decision to have this surgery?
	○ Yes
	O No
6.	Do you have any comments?





(803) 256-4107 1910 Blanding St. Columbia,SC 29201 1013 Lake Murray Blvd. Irmo,SC 29063

*	**PATI	IENT - Please comp	plete the highlighted fields before your x-r	ray appointment.**	
_	- F	FOR			
	₹				
L	<b>X</b>	ADDRESS		DATE	

Please select/circle ONE section (either 1, 2, or 3) to ensure the appropriate xrays are obtained from the patient's radiology facility.

- 1. LEFT
  - a. Diagnoses:
    - i. Osteoarthritis (OA) of the hip M16.12
    - ii. Hip pain **M25.552**
- 2. RIGHT
  - a. Diagnoses:
    - i. Osteoarthritis (OA) of the hip M16.11
    - ii. Hip pain **M25.551**
- 3. BILATERAL
  - a. Diagnoses:
    - i. Osteoarthritis (OA) of the hip M16.10
    - ii. Hip pain M25.559

Views (please include all of the following):

- 1. AP Pelvis Standing (Please label as "STANDING")
- 2. AP Pelvis Supine (Please label as "SUPINE")

Please provide the patient with a CD digital copy of these x-rays for my review, and mail to:

Midlands Orthopaedics & Neurosurgery

ATTN: Gross follow-up 1910 Blanding Street Columbia, SC 29201

Thomas P. Gross, MD

Digitally signed by Thomas P. Gross, MD Date: 2019.05.29 08:40:02 -04'00'



## HIP FOLLOW UP PHYSICAL EXAM

Thomas P. Gross M.D Midlands Orthopaedics 1910 Blanding St	S	Office Use Only	
Columbia SC 29201	idlands Orthopaedics 210 Blanding St columbia SC 29201  EPATIENT TO FILL THIS SECTION**: ame of patient being evaluated: ate of Surgery: Right: Left:	Date Received:/	' <u> </u>
**PATIENT TO FILL			
Name of patient being	evaluated:		
Date of Surgery: Righ	t: Left:	Office Record Numbe	r:
<b>Interval from Surgery:</b>	didlands Orthopaedics D10 Blanding St Olumbia SC 29201  *PATIENT TO FILL THIS SECTION**: ame of patient being evaluated: ate of Surgery: Right: Left: ype of Surgery: Right: Left: terval from Surgery: light: N/A		_
Right: N/A	Left: N/A		
6 weeks	s Orthopaedics nding St ia SC 29201  ENT TO FILL THIS SECTION**:  patient being evaluated:  Surgery: Right: Left:  Surgery: Right: Left:  from Surgery:  //A  Left: N/A  weeks  6 weeks  year  1 year  year  2 year  Or  BE COMPLETED BY A PHYSICAL THI  1. Patient Charnley Category:  A1: Unilateral with opposite hip normal  A2: Bilateral with satisfactory function of opposite  B: Unilateral other hip impaired  C: Multiple arthritis or medical infirmity  2. Range of Motion:  a. Flexion Contracture* b. Flexion to* c. abduction at 45 degrees of flexion to d. adduction at 45 degrees of flexion to e. external rotation at 45 degrees of flexion to g. IR with knee flexed to 90 degrees ***  * Enter 0 if the leg is able to lie flat on  ** Do not push past 100 degrees before  ***Do not perform this one until one ye  3. Gait:  Normal Antalgic Trendelenburg		
1 year	1 year		
2 year	SOrthopaedics noling St a SC 29201  Date Received:/  ENT TO FILL THIS SECTION**: patient being evaluated: Surgery: Right:Left: Surgery: Right:Left: Surgery: Right:Left:  From Surgery:  A		
Or			
A1: Unilater A2: Bilateral B: Unilateral C: Multiple a  2. Range of a. Flexion Cont b. Flexion to**	al with opposite hip normal with satisfactory function of opposite h other hip impaired arthritis or medical infirmity  Motion: tracture*	Date Received:/	
d. adduction at e. external rota f. internal rotat	45 degrees of flexion to tion at 45 degrees of flexion to ion at 45 degrees of flexion to		
** Do not pu	ish past 100 degrees before 1	year	
3. Gait:			
<ul><li>Antalgic</li><li>Trendeler</li><li>Short Leg</li></ul>	_		

**Trendelenburg Sign:** 

4.

0	Positive Negative	
5.	Active SLR painful?	
	No Yes If Yes Where?	
6.	Strength SLR (grade	0-5):
7.	Strength Abduction (g	rade 0-5):
8.	Leg Length:	
Eq	ual Left short	Right short
9.	Tender:	
	No Yes If yes, where? _	
10.	<b>Condition of incision:</b>	
		Physical Therapist Signature:
		Date:
		Print Name:
		Address:



(803) 256-4107 Fax: (803) 933-6339 1910 Blanding St. Columbia,SC 29201 1013 Lake Murray Blvd. Irmo,SC 29063

#### **Dear Physical Therapist:**

The person presenting this form has had a hip surface replacement performed by Dr. Thomas P. Gross \_\_\_\_\_ weeks/years ago. We are asking that you objectively evaluate his/her hip and send me a report. If the patient is less than one year postop, the hip cannot be pushed into extreme flexion, adduction and internal rotation. (See form). Please record the range of motion that can be achieved by gentle examination in this case.

If the patient is approximately six weeks postop, please review and assist them with my Phase II Hip Exercise Program. The patient has been instructed to bring this with him/her in this situation.

Thomas P. Gross M.D

Please FAX to: 803-933-6339 and give the patient a copy.



(803) 256-4107 1910 Blanding St. Columbia,SC 29201 1013 Lake Murray Blvd. Irmo,SC 29063

**PATIENT - Please complete the highlighted fields before your physical	al therapy appointment.**
FOR	
R	
▲ ADDRESS	_DATE

Please evaluate both hips in the above patient for range of motion and strength and provide a report on my standardized form included.

Thomas P. Gross M.D

Please FAX to: 803-933-6339 and give the patient a copy.

Thomas P. Gross, MD

Digitally signed by Thomas P. Gross, MD Date: 2019.05.29 08:40:02 -04'00'

- I request that you obtain blood testing for metal ions as part of your routine hip follow-up
- A prescription is enclosed for Cobalt and Chromium levels.
- The test should be done at a Quest laboratory. This is a national lab with branches throughout the US. Please check the Internet (or attached list) for a location near you.
- \*\*You must avoid vitamins and other supplements for one week prior to testing.\*\*

Recent scientific data suggests that this is a good method of evaluating metal bearing implants for wear. Enough evidence now exists for us to begin using blood levels for metal ions to monitor patients for implant wear problems. If we do discover elevated levels, I advocate closer follow-up and further evaluation.

All artificial implants wear at the bearing surface. If the bearing is metal-on-metal, this wear debris is cobalt and chromium. It usually gets absorbed by the body and transported to the kidney where it is removed from the body. In rare cases there is a higher than expected wear rate and these wear particles accumulate in the local tissues around the hip. If the load of particles gets too high, a local inflammation can result. If levels in the blood are high, this may indicate that the local tissues are overloaded. Therefore, measuring the blood levels is a good way to screen patients for high wear and possible local tissue reaction in the hip.

I have personally performed over 3000 metal bearing hip resurfacings/ replacements in the last 10 years. I have only twice had to revise implants for this wear problem. The overall failure rate has been very low and other types of failures like fracture or loosening are far more common. Furthermore, in all revisions that I have performed for loosening of the cemented femoral resurfacing component, I have never come across a case of accelerated wear at the time of surgery. Furthermore, about 300,000 total knee replacements are done in the US yearly and research has shown that similar ion levels are measured with these implants as in hip resurfacings. Total Knee replacements have been performed in much higher numbers and for many more years than hip resurfacings. We therefore know that typical ion levels are well tolerated by most people.

Nevertheless, I have become convinced that closer monitoring with metal levels is desirable. I suggest that we obtain levels beginning at 2 years post surgery and then repeat them every other year at the time of your routine follow-up. If you come to see me in the office, I suggest that you have the levels drawn 2-4 weeks in advance so that the results are available for our visit. If your surgery was done over 2 years ago, anytime is a good time to get the first level. We should then recheck at the time of your every other year routine follow-up dates.

A prescription can be downloaded from my website. It is very important that the same laboratory always does these levels, because the results vary widely between labs. I have chosen Quest Laboratories, because they have a nationwide presence and have a good reputation. You should look up Quest labs online and make *sure* that your levels are done at one of their facilities or at a facility that sends their labs to Quest. If labs are drawn at Providence Northeast Hospital in Columbia, they are sent to Quest. Quest is specifically listed on my prescription as well to serve as a reminder. If your levels are done at any other lab, the results may not be comparable to the rest in my database.

It is important that you avoid taking vitamin or mineral supplements for at least 1 week before testing. Many of these supplements contain chromium and can lead to false reports on the blood tests.

Any joint implants that contain cobalt-chrome metal can raise your levels. This includes total knees, total hips, resurfacings, and total shoulders.

I recommend routine follow-up for all patients with joint replacements even if they are doing well. I constantly make an effort to contact patients and try to remind them that follow-up is important. It is particularly important to monitor new technology regularly. My currently recommended follow-up intervals are at 6 weeks, 1 year, 2 years, and every other year thereafter. The first two visits are best done at my office in person. After that time, remote follow-up is adequate. Of course, you are always welcome to come see me at any time!

At 2 years and beyond, information on how to complete remote follow-up is on my website. The following items are now recommended at each evaluation:

- 1. Standing AP pelvis XR labeled "standing" (We require a digital DICOM image on a disc).
- 2. Questionnaire filled out online. Directions on my website.
- 3. Blood test: metal ion levels Cobalt and Chromium. A prescription is available on my website.

If you have only one implant in your body, and the cobalt and Chromium levels are below 10ug/L each, we will just continue routine monitoring. If the levels are higher, further evaluation may be advised. If we receive your levels, I will send you a note that the levels are in the expected range, or I will contact you within 2 weeks of receiving the test results. If you don't hear from us, we have not received your test results. Please contact our office or the lab and be sure that the levels get to us.

There will be no charge for reviewing your XR, questionnaire, and metal ion levels and sending you a notification. I would like to continue to monitor your results at routine intervals to be sure that you are doing well. If you have had revision surgery, I want to know about it. If you are having a problem, I would like to help you resolve it, if possible. Please keep in touch.

With best Regards,

Thomas P. Gross, MD www.Grossortho.com 803.256.4107



(803) 256-4107 1910 Blanding St. Columbia,SC 29201 1013 Lake Murray Blvd. Irmo, SC 29063

Address:	Date:	
Request for a blood	test for metal ion levels of COBALT and C	CHROMIUM
STOP TAKING VI	ΓAMINS AND MINERAL SUPPLEMEN'	ΓS 1 WEEK PRIOR TO TEST.
We request that test	be performed at the patient's local QUEST	laboratories, if possible.
we request that test		, 1

\*\*PATIENT - Please complete the highlighted fields before your appointment.\*\*

Thomas P. Gross, Digitally signed by Thomas P. Gross, MD
Date: 2020.10.28 12:42:55 -04'00'

Please FAX to 803-933-6339 and \*give the patient an additional copy\*

If you can't find a lab for metal ion tests from the following address, you can locate a lab from the link by yourself as well: <a href="http://www.questdiagnostics.com/hcp/psc/jsp/hcp-psc index.jsp#bottom">http://www.questdiagnostics.com/hcp/psc/jsp/hcp-psc index.jsp#bottom</a>

NAME	ADDRESS	CITY	STATE	ZIP	PHONE
					866-697-
Quest Diagnostics- Myrtle Beach	909 Medical Cir	Myrtle Beach	SC	29572	8378
					866-697-
Quest Diagnostics - Aiken	156 University Pkwy Ste 100	Aiken	SC	29801	8378
					866-697-
Quest Diagnostics- Bluffton	25 Sherington Dr. Ste B	Bluffton	SC	29910	8378
					866-697-
Quest Diagnostics - Charleston-West Ashley	1470 Tobias Gadson Blvd Suite 101	Charleston	SC	29407	8378
					866-697-
Quest Diagnostics- James Island	418 Foly Road Sutie C	Charleston	SC	29412	8378
					866-697-
Quest Diagnostics - Columbia	3010 Farrow Rd Ste 110	Columbia	SC	29203	8378
					864-442-
Baptist Easley Hospital - Specimen Collection Agreement	200 Fleetwood Dr	Easley	SC	29640	7694
					866-697-
Quest Diagnostics - Greenville	1003 Grove Rd Suite A	Greenville	SC	29605	8378
					866-697-
Quest Diagnostics - Greenwood	105 Vine Crest Court Suite 1300	Greenwood	SC	29646	8378
		Hilton Head			866-697-
Quest Diagnostics- Hilton Head-Heritage	460 William Hilton Pkwy	Island	SC	29926	8378
					843-431-
Marion County Medical Center - Third Party Specimen Collection	2829 E Highway 76	Mullins	SC	29574	2550
					803-276-
Newberry County Memorial Hospital - Purchased Service	2669 Kinard St	Newberry	SC	29108	7570
					864-888-
Quick Draws - Third Party Collection Site	10135d Clemson Blvd	Seneca	SC	29678	0027
					866-697-
Quest Diagnostics - Summerville	104 Morgan Pl Ste C	Summerville	SC	29485	8378

Quest Diagnostics Ashavilla	41 Oakland Rd Ste 150	Asheville	NC	28801	866-697- 8378
Quest Diagnostics - Asheville	41 Oakland Rd Ste 150	Asheville	INC	28801	
Quest Diagnostics - Charlotte-University	10320 Mallard Creek Rd Ste 290	Charlotte	NC	28262	866-697- 8378
					866-697-
Quest Diagnostics- Fayetteville	3186 Village Dr Ste 202	Fayetteville	NC	28304	8378
					828-757-
Caldwell Memorial Hospital - Specimen Collection Agreement	321 Mulberry St SW	Lenoir	NC	28645	5256
					704-732-
Clinical Laboratory Service - Third Party Collection Site	102 Lincoln Medical Park	Lincolnton	NC	28092	1752
					704-527-
Lake Norman Regional Medical Center - Third Party Specimen Collection	171 Fairview Rd	Mooresville	NC	28117	4968
					910-791-
Medac 1- Third party Collection	4402 Shipyard Blvd	Wilmington	NC	28403	0075
					910-256-
Medac II - Third Party Collection Site	1142 Military Cutoff rd	Wilmington	NC	28405	6088
					910-686-
Medac III - Third Party Collection Site	8115 Market St	Wilmington	NC	28411	1972
					866-697-
Quest Diagnostics- Athens	1000 Hawthorne Ave Ste Q	Athens	GA	30606	8378
					866-697-
Quest Diagnostics - Augusta	1109 Medical Center Drive Suite 2A	Augusta	GA	30909	8378
					912-739-
Evans Memorial Hosptial	200 N River St	Claxton	GA	30417	5110
					706-485-
Eatonton Medical and Surgical Center	132 Sparta Highway	Eatonton	GA	31024	8495
					912-819-
Candler Hosptia- Rapid Response Testing and Specimen	5353 Reynolds St	Savannah	GA	31405	7250
					912-486-
East Georgia Regional Medical Center- PSA	1499 Fair Rd	Statesboro	GA	30458	1610
					706-597-
McDuffie Regional Medical Center - Third Party Specimen Collection	521 Hill Street, Southwest	Thomson	GA	30824	5287
					912-537-
Vidalia Lab Services, Inc- Specimen Collection Agreement	1802 Teston Ln	Vidalia	GA	30474	0622